


DuPont™ Site Biosecurity Kit Usage Guide

Essential tools and information to help reduce exposure to
and spread of viruses or bacteria



The miracles of science™



Good hygiene practices and this kit can help you reduce the spread of disease-causing viruses or bacteria in your workplace. All the products in the kit have been selected for their efficacy and ease of use in helping to minimize the spread of viruses or bacteria. This guide will help you understand how to use these products effectively, and provide proper hygiene practices that help reduce the risk of viral spread at your site. Always read and follow product label instructions.

It is important that you follow your company's policies in addition to the guidance in this kit. Remember, the products in this kit can help minimize the transmission of viruses or bacteria, but it is only one of a number of tools, practices and procedures that your business should consider to reduce risk. It is not a cure for disease. The DuPont™ Site Biosecurity Kit items are intended for use only as described in this guide.

What's Inside

To help prevent the transmission of human pathogens, viruses or bacteria we've included:

Reusable Infrared Thermoscanner (1)

N-95 Masks (10)

3-ply Surgical Masks (30)

DuPont™ Tyvek® Coveralls (10)

11 lb. tub DuPont™ RelyOn™ Multi-Purpose

Disinfectant Cleaner (DuPont™ RelyOn™ MDC) (1)

3mm Nitrile Gloves (50 pair)

Empty Spray Bottles (3)

Vented Chemical Splash Goggles (10)



This kit is designed to help reduce exposure to a broad range of human pathogens. It is not a substitute for good hygiene and avoiding personal contact when appropriate.



Reusable Infrared Thermoscanner

What it is:

The thermoscanner allows you to take the temperature of all visitors, plus any employees who appear to be ill or who have not taken their own temperature before coming to work.

How to use it:

To take temperature readings, simply place the thermoscanner near the temple of the side of the head, press button and wait for the temperature reading.

When to use it:

Check the temperature of visitors, and employees who appear to be ill. Based on your reading, your company may have determined a number of actions to take, such as restricting access to the worksite. Make sure you are familiar with your company's policies and follow their instructions.

Important:

The World Health Organization lists high fever (over 100°F / 38°C) as an initial symptom of influenza and some other diseases.

N-95 Masks

What it is:

N-95 masks can help prevent the spread of viruses or bacteria by reducing the viral particles you breathe.

How to use it:

Pull the edges of the mask apart to open it. Cup the bottom of the mask under your chin and pull both headbands up over your head. Place the lower headband at the base of your neck and the upper headband at the top or crown of your head. Squeeze the wire nosepiece to fit your nose and adjust the lower edges until you have a good snug fit over your mouth and nose. You should not feel any air leaking between your face and the mask.

When to use it:

Your company may have determined particular situations in which a mask should be worn. Make sure you know your company's policy and follow their instructions.

Caution:

Always wash your hands or use DuPont™ RelyOn™ Antiseptic Hand Spray after changing or removing your mask. Immediately dispose of used masks in a wastebasket. Masks are not a shield against disease. Continue to practice good hygiene principles in your interactions with others. Suggested practices are in the back of this guide.





3-ply Surgical Masks

What it is:

These masks are designed to help prevent the spread of viruses or bacteria caused from aerosolized droplets that are a result of coughing and sneezing.

How to use it:

Locate the front and upper side. Nose bands should be positioned on the bridge of your nose, with the remainder of the mask covering your mouth.

The white side of the mask should be against the face and mouth. Place each surgical band around your ears one at a time. Bend both sides of the nose band to cover your nose with your fingertips. Hold the band with one hand and pull the spread to cover your chin. Change to a new mask whenever soiled, torn or soaked, and when uncomfortable due to coughing, perspiration, etc.

When to use it:

Your company may have determined particular situations in which a mask should be worn. Make sure you know your company's policy and follow their instructions.

Caution:

Always wash your hands or use DuPont™ RelyOn™ Antiseptic Hand Spray after changing or removing your mask. Immediately dispose of used masks in a wastebasket. Masks are not a shield against disease. Continue to practice good hygiene principles in your interactions with others. Suggested practices are in the back of this guide.

DuPont™ Tyvek® Coveralls

What it is:

These disposable garments help protect from the spread of infectious disease by minimizing skin and clothing contamination and reducing the opportunity for migration of the infectious material to non-contaminated areas.

How to use it:

Remove all jewelry and personal items (pens, key rings, badges, pagers, knife cases, etc.) that might damage the garment. While sitting, insert feet into garment legs. Stretch legs out to maximum extension while pulling garment up around hips. Pull boot covers up and don outer boots. Then pull boot cover down over boots as far as possible. Place hands in the sleeve one at a time and pull garment over shoulder. After checking that the zipper is completely closed, the flaps should be folded over the zipper and sealed. Close the zipper completely, then fold flaps over the zipper to seal.

When to use it:

Use a DuPont™ Tyvek® Coverall for general cleaning and whenever you are likely to come in contact with potentially infected areas, animals, visitors or employees.

Caution:

Following use, immediately discard the garment. Always wash your hands or use antiseptic spray after changing or removing your DuPont™ Tyvek® Coveralls.





DuPont™ RelyOn™ MDC,* Spray Bottle and Nitrile Gloves

What it is:

DuPont™ RelyOn™ MDC powder mixed with water creates a disinfecting solution for hard, non-porous surfaces – computer keyboards, door knobs, light switches, tables and desks.

How to use it:

Put on nitrile gloves. Prepare a 1% solution (1:100 dilution rate) by dissolving the appropriate amount of DuPont™ RelyOn™ MDC powder into the container with tap water, per label instructions. Mix solution thoroughly by stirring or agitation. Apply and let stand for 10 minutes. Air dry or wipe dry with an absorbent paper towel or mop to remove any residue. For electronic equipment such as computers and light switches, apply to towel, then wipe surface with towel to saturate. Air dry.

When to use it:

Use RelyOn™ MDC spray twice daily or more frequently as needed to disinfect surfaces that have potentially been contaminated with a virus.* There is no visual cue when a surface is contaminated, and viruses may live on a surface for days. Therefore, daily attention to door knobs, floors, phones, keyboards and other hard surfaces is a critical part of a good hygiene plan.

Caution:

Wear the nitrile gloves included in this kit when preparing solution. As with all registered disinfectants, follow the instructions on the EPA approved label. DuPont™ RelyOn™ MDC should be used within five (5) years of the assembly date shown on the package.

* DuPont™ RelyOn™ MDC has been shown to be effective against a wide range of viruses: HIV, Hepatitis A virus, Hepatitis B virus, Hepatitis C virus, Respiratory Syncytial Virus, Influenza A virus, Norovirus (Norwalk-like Virus).



Vented Chemical Splash Goggles

What it is:

Goggles help protect the eyes from liquid splash and can help protect against spread of infection through droplets coughed or sneezed into the eye or through hand-to-eye contact.

How to use them:

Goggles should be positioned to prevent the possibility of liquid reaching the eye from the side or top of your head. Make sure they are worn whenever cleaning or dealing with an infected individual.

When to use it:

For general cleaning and whenever you are likely to come in contact with DuPont™ RelyOn™ MDC solution or with potentially infected areas, animals, visitors or employees.

Caution:

Failure to wear goggles properly may result in eye damage or the spread of disease. Failure to wear them when working with DuPont™ RelyOn™ MDC can cause eye damage. Always wash your hands or use DuPont™ RelyOn™ Antiseptic Hand Spray after changing or removing your goggles.

Refill and DuPont Contact Information

A refill is available for the consumable items in this kit. The refill is designed to last two weeks and contains the following items:

- DuPont™ Tyvek® Coveralls (10)
- 11 lb tub of DuPont™ RelyOn™ MDC (1)
- N-95 masks (10)
- 3-ply surgical masks (30)
- 3mm nitrile gloves (50 pair)

For more information, contact your Site Health Representative or visit www.diseasepreparedness.dupont.com.

This kit and its contents will not cure diseases, but may help when used in conjunction with good hygiene practices and your company's instructions to minimize risk.

General Good Hygiene Practices†

While the items in this kit can help you minimize the spread of some viruses, it is important to follow proper hygienic practices. Some practices and procedures that will help reduce risk include:

- Wash your hands frequently. This is one of the most basic and important preventative measures you can take against the flu and some other viral diseases. Use warm soapy water and wash for 15-20 seconds,
 - before and after food preparation or eating.
 - after using the restroom.
 - after coughing, sneezing or blowing your nose.
 - after shaking hands.
 - after removing personal protective equipment, such as masks and gloves.
 - after touching any public surface (door knobs, elevator buttons, etc.).
- If soap and water are not nearby, use DuPont™ RelyOn™ Hand Antiseptic Spray or an alcohol based hand sanitizer or wipes.

- Avoid unnecessary close contact, like shaking hands, whenever possible.
- Do not share food or beverages with others.
- Observe proper “coughing and sneezing etiquette” – cough or sneeze into a tissue or into your upper arm rather than your hand. Wash or sanitize your hands immediately so you do not spread germs to others.
- Keep living and work areas clean.
- Avoid crowded areas, especially when the concentration of flu or other viral disease cases in your area is high.
- Whenever possible, keep a distance of at least 1 meter between yourself and other people.

[†] These tips are based on recommendations from DuPont Industrial Hygiene and Medical professionals, as well as organizations such as the World Health Organization and the Centers for Disease Control.

Handwashing Tips†

1. Avoid touching the sink. Consider the sink, including the faucet controls, as contaminated.
2. Turn water on using a disposable towel.
3. Wet your hands and wrists.
4. Work soap into a lather.
5. Vigorously rub together all surfaces of the lathered hands for 15-20 seconds. Friction helps remove dirt and microorganisms. Wash around and under rings, around cuticles, and under fingernails.
6. Rinse hands thoroughly under a stream of water. Running water carries away dirt and debris. Point fingers down so water and contamination won't drip toward elbows.
7. Dry hands completely with a clean dry disposable towel.
8. Use a dry disposable towel to turn faucet off.
9. To keep soap from becoming a breeding place for microorganisms, thoroughly clean soap dispensers before refilling with fresh soap.
10. When hand washing facilities are not available, use an appropriate antiseptic hand cleaner or antiseptic towelettes. As soon as possible, rewash hands with soap and running water.

† These tips are based on recommendations from DuPont Industrial Hygiene and Medical professionals, as well as organizations such as the World Health Organization and the Centers for Disease Control.

Emergency Contact Information:

Emergency contact name: _____ phone () _____

Nearest hospital name: _____ phone () _____

Physician name: _____ phone () _____

Pharmacy name: _____ phone () _____

LIMITED WARRANTY FOR DuPONT™ SITE BIOSECURITY KIT

E. I. du Pont de Nemours and Company ("DuPont") warrants to the original purchaser that the enclosed DuPont™ Site Biosecurity Kit will be free from defects in materials and workmanship when used as specifically provided in the enclosed Instruction Manual for a period of two years from the date of purchase. DuPont warrants that it will, at DuPont's option, replace the affected item in the kit free of charge or refund your full purchase price of the DuPont™ Site Biosecurity Kit during the term of this warranty, provided you contact DuPont at 800-931-3456 or 302-774-1000, and that the affected portion of the kit is returned with postage pre-paid, with Product Return Number along with your proof of purchase showing the date of purchase.

This warranty applies to the original retail purchaser from the date of original retail purchase, and is not transferable. Proof of purchase is required. If we replace the affected portion of your DuPont™ Site Biosecurity Kit, your two-year warranty will run from the original date of purchase and not from the date of receipt of replacement product.

This warranty does not cover damage resulting from accident, misuse, disassembly, abuse, or lack of reasonable care of the product. Nor does it cover uses not in accordance with the enclosed Instruction Manual, or events and conditions beyond DuPont's control, such as Acts of God (fire, hurricanes, etc.). It does not apply to retail stores, service centers, or any distributors or agents. This is the only express warranty made by DuPont for the DuPont™ Site Biosecurity Kit. No one other than DuPont is authorized to make any warranty or promise with respect to the DuPont™ Site Biosecurity Kit. No terms or conditions other than those stated herein or provided by law, and no statement or representation made by any third party, such as a retailer, shall bind DuPont unless made in writing and signed by an authorized employee of DuPont.

DUPONT LIABILITY FOR ANY DEFECTIVE PRODUCT IS LIMITED, AS DUPONT CHOOSES, TO REPLACEMENT OF THE PRODUCT OR REFUND ONLY. EXCEPT AS PROVIDED HEREIN, DUPONT SHALL NOT BE LIABLE FOR ANY LOSS OR FOR ANY DIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES CAUSED BY THE LOSS OF USE OF THE PRODUCT OR ANY BREACH OF ANY EXPRESS OR IMPLIED WARRANTY. SOME STATES, PROVINCES, OR JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN DURATION TO TWO YEARS. SOME STATES, PROVINCES, OR JURISDICTIONS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE, PROVINCE TO PROVINCE. THIS WARRANTY IS NOT A PERFORMANCE CLAIM.

If you believe DuPont has not performed as stated in this warranty, you may submit a request for further consideration to the organization listed below. You should make any such request in writing requesting such dispute resolution, and identifying yourself, DuPont, the product, the alleged defect, and the remedy you seek to this address:

International Institute for Conflict Prevention & Resolution ("CPR")
575 Lexington Avenue, 21st floor
New York, New York 10022
Phone: +1.212.949.6490
Fax: +1.212.949.8859
Info@cpradr.org

Upon receiving your dispute resolution request, CPR will notify DuPont and ask for a response to your complaint. If DuPont disagrees with your claim or complaint, CPR will arrange for informal dispute settlement between you and DuPont.

YOU MAY NOT FILE SUIT AGAINST DUPONT UNDER THE MAGNUSON-MOSS WARRANTY ACT UNTIL YOUR CLAIM HAS BEEN SUBMITTED TO CPR FOR INFORMAL DISPUTE SETTLEMENT AND A DECISION HAS BEEN REACHED, OR YOU HAVE WAITED 40 DAYS FOR A DECISION FOLLOWING YOUR SUBMISSION OF A REQUEST FOR DISPUTE RESOLUTION, WHICHEVER COMES FIRST.

© 2006 DuPont. All rights reserved. The DuPont Oval Logo, DuPont™, The miracles of science™, RelyOn™ and Tyvek® are registered trademarks or trademarks of E. I. du Pont de Nemours and Company or its affiliates.

The information set forth herein is furnished free of charge and based on technical data that DuPont believes to be reliable. It is intended for use by persons having technical skill, at their own risk. Nothing herein is to be taken as license of operation under or a recommendation to infringe any patents. Use virucides safely. Always read the label and product information before use.

